

SDS Service Summary

No.: CANCPCH24001705301

Date: 26 Jan 2024

Page 1 of 1

SGS Job No.

GZCPCH24000508

Product Name

Nail glue

Manufacturer / Supplier

.

Composition/Ingredient of product

(as per applicant submission)

See section 3 Composition/information on ingredients on the SDS

Job Receiving Date

23 Jan 2024

SDS Preparation Period

23 Jan 2024-26 Jan 2024

Service Requested

Preparation of Safety Data Sheet (SDS) for the product with submitted information, with calculation of the classification and labeling requirement according to the submitted composition and US Hazard Communication

Standard 29 CFR 1910.1200.

Summary

As per request, the contents and formats of the SDS are prepared in accordance with US Hazard Communication Standard 29 CFR 1910.1200,

and is provided per attached.

Disclaimer

This Safety Data Sheet (SDS) is provided to applicant to fulfill US Hazard Communication Standard 29 CFR 1910.1200 and communicate the hazard information of chemicals through the supply chain to ensure safe use. It is not a test report or a certificate ensuring the safety of a product.

SGS has consolidated product information based on documents provided by Applicant (i.e. product name, the supplier details, product composition, available physical data, etc.) without independent verification from SGS. The information is provided without any warranty, express or implied, regarding its correctness.

Zinguan

Zm guan Project Engineer

Printing date 01/26/2024

Reviewed on 01/25/2024

1 Identification

- Product identifier
- · Trade name: Nail glue
- Recommended use of the chemical and restrictions on use:
- Application of the substance / the preparation: Adhesive false nail
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
- Full address: .
- Phone number:
- Email:
- Other U.S. contact point: Not available
- Further information obtainable from:
- Emergency telephone number:

Poison Center

Tel: +1 800 222 1222

Reference Number:

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irritation 2

H315 Causes skin irritation.

Eye Irritation 2A

H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

Flam. Liq. 4

H227 Combustible liquid.

Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification system:

The classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200), and extended by company and literature data.

- Label elements
- Labelling according to OSHA Hazard Communication Standard (29 CFR 1910.1200)
- · Hazard pictograms



GHS07

- *Signal word Warning
- *Hazard-determining components of labeling:

ethyl 2-cyanoacrylate

· Hazard statements

H227 Combustible liquid.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

P210

Keep away from flames and hot surfaces. - No smoking.

(Contd. on page 2)

Printing date 01/26/2024

Reviewed on 01/25/2024

Trade	name:	Nail	glue

	(Contd. of page 1)
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+	P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P312	Call a poison center/doctor if you feel unwell.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· Hazards not otherwise classified (HNOC) No further relevant information available.

3 Composition/information on ingredients

- Chemical characterization: Mixtures
- Description:

Mixture of the substances listed below with nonhazardous additions. For the wording of the listed hazard statements refer to Section 16.

Composition:		
	ethyl 2-cyanoacrylate \$\Displays Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335; Flam. Liq. 4, H227	85%
	Toxicity - Single Exposure 3, H335; Flam. Liq. 4, H227 2-Propenoic acid, 2-methyl-, methyl ester, homopolymer	15%

4 First-aid measures

- Description of first aid measures
- General description: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Suitable extinguishing agents:
- CO2 extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- * Special hazards arising from the substance or mixture: No further relevant information available.

(Contd. on page 3)

Safety Data Sheet

Printing date 01/26/2024

Reviewed on 01/25/2024

Trade name: Nail glue

(Contd. of page 2)

- · Special protective equipment and precautions for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

7 Handling and storage

· Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

For the general occupational hygienic measures refer to Section 8.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep receptacle tightly sealed.

8 Exposure controls/personal protection

· Components with limit values that require monitoring at the workplace:

CAS: 7085-85-0 ethyl 2-cyanoacrylate (85%)

TLV (USA) Short-term value: 1 ppm

Long-term value: 0.2 ppm

DSEN, RSEN

- Regulatory information TLV (USA): Guide to Occupational Exposure Values (TLV)
- Additional information: The lists that were valid during the creation were used as basis.
- Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure.
- · Appropriate engineering controls:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

See Section 7 for information about design of technical facilities.

- Individual protection measures, such as personal protective equipment
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

*Hand protection:



Protective gloves

Printing date 01/26/2024

Reviewed on 01/25/2024

Trade name: Nail glue

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be

· Eye/face protection:



Tightly sealed goggles

C 1 I - C 4:		
General Information Appearance:		
Appearance: Form:	Liquid	
Color:	Clear	
Odor:	Slight odor	
Odor threshold:	Not available	
pH-value:	Not available	
Change in condition		
Melting point/Freezing point:	Not available	
Initial boiling point and boiling range	: Not available	
Flash point:	Not available	
Flammability (solid, gas):	Not available	
Auto-Ignition temperature:	Not available	
Decomposition temperature:	Not available	
Lower and upper explosion limit		
Lower:	Not available	
Upper:	Not available	
Vapor pressure:	Not available	
Density:	Not available	
Relative density:	Not available	
Vapor density:	Not available	
Evaporation rate:	Not available	
Solubility in / Miscibility with		
Water:	Not available	
Partition coefficient (n-octanol/water):	Not available	
Viscosity:		
Dynamic:	Not available	

Printing date 01/26/2024

Reviewed on 01/25/2024

Trade name: Nail glue

(Contd. of page 4)

Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: No further relevant information available.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: Not available
- · Skin corrosion/irritation: Irritant to skin and mucous membranes.
- · Serious eye damage/irritation: Irritating effect.
- · Respiratory or skin sensitization: Sensitization possible.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

9011-14-7 2-Propenoic acid, 2-methyl-, methyl ester, homopolymer

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Bioaccumulative potential: No further relevant information available.
- $\cdot \textit{Mobility in soil:} \ No \ further \ relevant \ information \ available.$
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

USA

Printing date 01/26/2024

Reviewed on 01/25/2024

Trade name: Nail glue

(Contd. of page 5)

· Uncleaned packagings:

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
UN-Number	
DOT	NA1993
IMDG, IATA	Not applicable
UN proper shipping name	
DOT	COMBUSTIBLE LIQUID, N.O.S
IMDG, IATA	Not applicable
Transport hazard class(es)	
DOT	
Class	Comb liq
Label	
IMDG, IATA	
Class	Not applicable
Label	-
Packing group	
DOT	III
IMDG, IATA	Not applicable
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
- -	On cargo aircraft only: 220 L

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 7)

Printing date 01/26/2024

Reviewed on 01/25/2024

Trade name: Nail glue

	(Contd. of page
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
New Jersey Right-to-Know List:	
7085-85-0 ethyl 2-cyanoacrylate	
New Jersey Special Hazardous Substance List:	
7085-85-0 ethyl 2-cyanoacrylate	F2, R.
Pennsylvania Right-to-Know List:	
None of the ingredients is listed.	
Pennsylvania Special Hazardous Substance List:	
None of the ingredients is listed.	
· Cancerogenity categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

16 Other information

Relevant hazard statements

H227 Combustible liquid.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

The contents and format of this SDS are in accordance with 29 CFR 1910.1200.

DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Date of preparation / last revision 01/26/2024

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

(Contd. on page 8)

Printing date 01/26/2024

Reviewed on 01/25/2024

Trade name: Nail glue

(Contd. of page 7)

OSHA: Occupational Safety & Health

End of document

USA